



大连华韩智能装备有限公司
Da lian Huahan Intelligent Equipment Co.,Ltd.



公司简介

Company profile



董事长
戴丹 先生

Chairman Mr. Dai Dan

企业实景

Huahan Headquarter

大连华韩智能装备有限公司

大连华韩智能装备有限公司是由橡胶行业的顶尖专家组成。我们不仅是世界一流的橡胶硫化厂、橡胶成型设备和橡胶输送带压机制造商，也是领先的橡胶加工行业一站式系统解决方案提供商。我们通过结合广泛的专业知识和能力，开发了几乎所有类型的橡胶机械设备和压机生产线，以满足客户的独特要求，并坚定地保持我们在该行业的领导地位。持续运转的生产线和机械运转的轰鸣声，正是华韩人专业技能和不屈不挠精神的体现。同时也为世界橡胶工业的发展贡献了华韩的力量。

Dalian Huahan Intelligent Equipment Co., Ltd.

Dalian Huahan was established by a group of leading experts in the rubber industry. We are not only a world-class rubber vulcanization machinery, rubber molding equipments and rubber conveyor belt presses manufacturer but also a leading rubber processing industry one-stop system solution provider. We have developed almost all type of equipments and press lines for rubber machinery industry by combining broad expertise and capabilities to meet the customer unique requirements with the strong determination to maintain our leadership in this industry. The ceaselessly operating production lines and the hum of machinery stand as testament to the expertise and tireless efforts of Huahan people, while also contributing Huahan strength to the development of the world's rubber industries.



鄂式硫化机

Jaw-type Vulcanization Machine

设备特点/Features

- **自动化程度高**：PLC 智能控制，支持自动补压、排气、计时、开模，工艺参数可灵活设定，减少人工干预，提升生产精度与效率。
- **运行稳定安全**：机身框架坚固，鄂式结构开合平稳，模具损耗小；配备手动应急装置与安全光幕，双重保障设备与操作安全。
- **加热节能高效**：陶瓷加热板升温快、温差小，加热均匀性强，相比同类设备更节能，可保障制品硫化成型质量。
- **适配性强**：支持单 / 双工位独立操作，可按需定制非标机型，满足多样化生产需求。

■ High Automation Level

PLC intelligent control supports automatic pressure compensation, exhausting, timing and mold opening. Process parameters can be flexibly set, reducing manual intervention and improving production precision and efficiency.

■ Stable and Safe Operation


The machine body frame is sturdy, and the jaw-type structure opens and closes smoothly, minimizing mold wear. Equipped with manual emergency devices and safety light curtains, it provides dual protection for equipment and operational safety.



■ Efficient Heating & Energy Saving

The ceramic heating plate features fast heating speed, small temperature difference and strong heating uniformity. Compared with similar equipment, it is more energy-efficient and ensures the vulcanization molding quality of products.

■ Strong Adaptability

It supports independent operation of single/double stations, and can be customized into non-standard models according to requirements to meet diverse production needs.





 **产品适用领域/ Product Application Fields**



止水带
Rubber waterstop



传动带
Transmission belt



备注：1. 以上规格公司保留变更权，如因设计变更时，恕不另行通知。

2. 如有非标准规格，可依客户需求设计与制造。

Notes: 1. The company reserves the right to modify the specifications above without prior notice in case of design changes.

2. For non-standard specifications, design and manufacturing can be carried out based on customer requirements.



扫码咨询
Scan to consult



橡胶热压成型机

Hotpress Molding Machine



SYR-1200T 压力成型机

SYR-1200T Pressure Molding Machine



1300T 1200X2400柱式热压成型机


1300T 1200X2400 Column-type Hot Pressing Machine

备注：1.以上规格公司保留变更权，如因设计变更时，恕不另行通知。
2.如有非标准规格，可依据客户需求设计与制造。

Notes: 1. The company reserves the right to modify the specifications above without prior notice in case of design changes.
2. For non-standard specifications, design and manufacturing can be carried out based on customer requirements.



扫码咨询
Scan to consult



橡胶热压成型机

Hotpress Molding Machine



1200X1800X4发泡橡胶硫化机

1200X1800X4 foam rubber vulcanizing machine



700T 1000X1000柱式热压成型机

700T 1000X1000 Column-type Hot Pressing Machine



SYR-300T 4层单轴热压成型机

SYR-300T 4-layer single axis hot press forming machine

设备特点/Features

模具校正

- ◆高生产能力
- ◆低噪音
- ◆稳定的机器
- ◆优质通风系统
- ◆多重压缩级别
- ◆释放气泡系统

油压系统

- ◆进口高低压油泵维护简单，机身和底座，是一体成形，可防止漏油。
- ◆采用GSPT铜管，搭配液压管可防止油污堵塞

电器控制系统

- ◆PLC控制系统
- ◆有空气泄露的保护&开路装置
- ◆加热板可以保证操作安全
- ◆物料进料压缩、回料、剥离可以一次性自动进行

Mold Correction

- ◆High production capacity
- ◆Low noise
- ◆Stable machine
- ◆High-quality ventilation system
- ◆Multi-stage compression levels
- ◆Bubble release system

Hydraulic system

- ◆ The imported high and low pressure oil pump features simple maintenance, with the body and base being integrally formed to prevent oil leakage.
- ◆ It utilizes GSPT copper tubes, paired with hydraulic pipes, to prevent oil contamination blockage

Electrical control system

- ◆PLC Control System
- ◆Protection & Open-Circuit Device with Air Leakage
- ◆Heating Plate Ensures Operational Safety
- ◆Material Feeding Compression, Recycling, and Stripping Can Be Automatically Performed in One Cycle

备注：1.以上规格公司保留变更权，如因设计变更时，恕不另行通知。
2.如有非标准规格，可依据客户需求设计与制造。

Notes: 1. The company reserves the right to modify the specifications above without prior notice in case of design changes.
2. For non-standard specifications, design and manufacturing can be carried out based on customer requirements.



扫码咨询
Scan to consult



橡胶热压成型机

Hotpress Molding Machine



SYR-700T 双热板热压成型机

SYR-700T Double Hot Plate
Hot Pressing Forming Machine



SYR-300T 双层成型机

SYR-300T Double-Layer Molding Machine



产品适用领域/ Product Application Fields

各种橡胶制品、工业类橡胶零件、汽车配件、医用橡胶、民用橡胶等。
Various rubber products, industrial rubber parts, automotive parts, medical rubber, civilian rubber, etc.



技术参数/Specification

型号 MODEL	SYR-10	SYR-20	SYR-25	SYR-30	SYR-40	SYR-50
工作台面 (毫米) PLATFORM (mm)	450*460	550*550	600*650	750*750	750*750	800*800
马达 (马力) MOTOR (HP)	10	15	15	15	15	20
出力 (吨) OUTPUT (Tons)	100	200	250	300	400	500
活塞直径 (毫米) PLUNGER DIAMETER (mm)	∅ 250	∅ 355	∅ 420	∅ 450	∅ 500	∅ 560
行程 (毫米) STROKE (mm)	250	250	250	250	250	300
立柱直径 (毫米) POST DIAMETER (mm)	∅ 70	∅ 90	∅ 100	∅ 120	∅ 130	∅ 140
最大压力 (kgf/cm ²) MAXIMUM PRESSURE (kgf/cm ²)	200	200	200	200	200	200
毛重 (公斤) GROSS WEIGHT (KG)	4500	7500	9000	11000	15000	20000
机器尺寸 (长、宽、高公尺) MACHINE SIZE (M)	2.4*1.6*2.0	3.0*2.0*2.4	3.4*2.4*2.6	3.4*2.4*2.8	3.4*2.8*2.8	4.0*3.0*3.0
开模方式 TYPE OF MOLD OPENING	Up/Down- In/Out-rail- 2RT-3RT	Up/Down- In/Out- rail-2RT- 3RT	Up/Down- In/Out- rail-2RT- 3RT	Up/Down- In/Out- rail-2RT- 3RT	Up/Down- In/Out- rail-2RT- 3RT	Up/Down- In/Out- rail-2RT-3RT

备注：1. 以上规格公司保留变更权，如因设计变更时，恕不另行通知。
2. 如有非标准规格，可依据客户需求设计与制造。

Notes: 1. The company reserves the right to modify the specifications above without prior notice in case of design changes.
2. For non-standard specifications, design and manufacturing can be carried out based on customer requirements.



扫码咨询
Scan to consult



业务覆盖

Business Coverage



全球 26+ 国家
Over 26 Countries globally



全球 50+ 客户/代理商
Over 50 customers/agents worldwide



扫码观看
企业全景

Scan the QR code
for a panoramic view
of the enterprise




全国 200+ 客户

Over 200 customers nationwide



全国 300+ 合作商

Over 300 cooperative partners nationwide



联系我们 | Contact Us

邮箱 | E-Mail: sales@hh-hz.com

手机 | Cell Phone: 155-4265-6399

邮编 | Zip Code: 116400

WhatsApp: 15142420383

地址 | Address: 中国辽宁省大连市庄河市三环大街219号

No. 219, Sanhuan Street. Thuinghe City, Dalian City, Liaoning Province. China



中国官网
Chinese Website



国际官网
Global Website



官方微信
Company Wechat