





PRODUCT SIZE TABLE

产品尺寸表


超洁净不锈钢管 ULTRA CLEAN STAINLESS STEEL PIPE

NO.	Nominal size(d)/ Nen wei te		wall Thickness(s)/ wand starke	
序号	Inch	mm	Inch	mm
1	1/4"	6.35	0.035	0.89
2	3/8"	9.53	0.035	0.89
3	1/2"	12.70	0.065	1.65
4	3/4"	19.05	0.065	1.65
5	1.0"	25.40	0.065	1.65
6	1.5"	38.10	0.065	1.65
7	2.0"	50.80	0.065	1.65
8	2.5"	63.50	0.065	1.65
9	3.0"	76.20	0.065	1.65
10	4.0"	101.60	0.083	2.11
11	6.0"	152.40	0.109	2.77




90°焊式弯头 90°WELDED ELBOW

NO.	Nominal size(d)/ Nen wei te		A	
序号	Inch	mm	Inch	mm
1	1/4"	6.35	2.625	66.7
2	3/8"	9.53	2.625	66.7
3	1/2"	12.70	3.000	76.2
4	3/4"	19.05	3.000	76.2
5	1.0"	25.40	3.000	76.2
6	1.5"	38.10	3.750	95.3
7	2.0"	50.80	4.750	120.7
8	2.5"	63.50	5.500	139.7
9	3.0"	76.20	6.250	158.8
10	4.0"	101.60	8.000	203.2
11	6.0"	152.40	11.500	292.1




45° 焊式弯头 45°WELDED ELBOW

NO.	Nominal size(d)/ Nen wei te		A	
	Inch	mm	Inch	mm
1	1/4"	6.35	2.000	50.8
2	3/8"	9.53	2.000	50.8
3	1/2"	12.70	2.250	57.2
4	3/4"	19.05	2.250	57.2
5	1.0"	25.40	2.250	57.2
6	1.5"	38.10	2.500	63.5
7	2.0"	50.80	3.000	76.2
8	2.5"	63.50	3.375	85.7
9	3.0"	76.20	3.625	92.1
10	4.0"	101.60	4.500	114.3
11	6.0"	152.40	6.250	158.8



45°单卡式弯头


NO.	Nominal size, in.	A in.(mm)	B in.(mm)	R in.(mm)
1	1/2"	2.250(57.2)	1.000(25.4)	1.125(28.6)
2	3/4"	2.250(57.2)	1.000(25.4)	1.125(28.6)
3	1.0"	2.250(57.2)	1.125(28.6)	1.500(38.1)
4	1.5"	2.500(63.5)	1.438(36.5)	2.250(57.2)
5	2.0"	3.000(76.2)	1.750(44.5)	3.000(76.2)
6	2.5"	3.375(87.5)	2.063(52.4)	3.750(95.3)
7	3.0"	3.625(92.1)	2.375(60.3)	4.500(114.3)
8	4.0"	4.500(114.3)	3.125(79.4)	6.000(152.4)
9	6.0"	6.250(158.8)	5.250(133.4)	9.000(228.6)




焊式同心大小头 WELDING TYPE CONCENTRIC REDUCER

NO.	Nominal size(d)/ Nen wei te		A	
序号	Inch	mm	Inch	mm
1	3/8x1/4"	9.53x6.35	1.625	41.3
2	1/2x1/4"	12.70x6.35	1.875	47.6
3	1/2x3/8"	12.70x9.53	1.875	47.6
4	3/4x3/8"	19.05x9.53	2.000	50.8
5	3/4x1/2"	19.05x12.70	2.125	54.0
6	1x1/2"	25.40x12.70	2.500	63.5
7	1x3/4"	25.40x19.05	2.125	54.0
8	1.5x3/4"	38.10x19.05	3.000	76.2
9	1.5x1"	50.80x25.40	2.500	63.5
10	2x1"	50.80x38.10	3.375	85.7
11	2x1.5"	63.50x38.10	2.500	63.5

NO.	Nominal size(d)/ Nen wei te		A	
序号	Inch	mm	Inch	mm
12	2.5x1/2"	63.50x50.8	3.375	85.7
13	2.5x2"	76.20x38.10	2.500	63.5
14	3x1.5"	76.20x38.10	4.250	108.0
15	3x2"	76.20x50.40	3.375	85.7
16	3x2.5"	76.20x63.50	2.625	66.7
17	4x2"	101.60x50.40	5.125	130.2
18	4x2.5"	101.60x63.50	4.250	108.0
19	4x3"	101.60x76.20	3.875	98.4
20	6x3"	152.40x76.20	7.250	184.2
21	6x4"	152.40x101.60	5.625	142.9



卡式偏心大小头CARD TYPE ECCENTRIC REDUCER							
NO.	Nominal size(d)/Nenweite		A	NO.	Nominal size(d)/Nenweite		A
	X	Y			X	Y	
1	3/8"	1/4"	1.625(66.7)	19	2.5"	1.0"	4.625(142.9)
2	1/2"	1/4"	1.875(73.0)	20	2.5"	1.5"	3.375(111.1)
3	1/2"	3/8"	1.875(73.0)	21	2.5"	2.0"	2.500(88.9)
4	3/4"	3/8"	2.000(76.2)	22	3.0"	1/2"	6.625(193.7)
5	3/4"	1/2"	2.125(79.4)	23	3.0"	3/4"	6.125(181.0)
6	1.0"	3/8"	2.250(82.6)	24	3.0"	1.0"	5.625(168.3)
7	1.0"	1/2"	2.500(88.9)	25	3.0"	1.5"	4.255(133.4)
8	1.0"	3/4"	2.125(79.4)	26	3.0"	2.0"	3.375(111.1)
9	1.5"	3/8"	3.000(101.6)	27	3.0"	2.5"	2.625(92.1)
10	1.5"	1/2"	2.750(95.3)	28	4.0"	1/2"	8.375(241.2)
11	1.5"	3/4"	3.000(101.6)	29	4.0"	3/4"	8.125(234.9)
12	1.5"	1.0"	2.500(88.9)	30	4.0"	1.0"	7.375(215.8)
13	2.0"	1/2"	3.606(117.0)	31	4.0"	1.5"	6.375(190.4)
14	2.0"	3/4"	3.375(111.1)	32	4.0"	2.0"	5.125(158.8)
15	2.0"	1.0"	3.375(111.1)	33	4.0"	2.5"	4.250(136.5)
16	2.0"	1.5"	2.500(88.9)	34	4.0"	3.0"	3.875(127.0)
17	2.5"	1/2"	4.878(149.3)	35	6.0"	3.0"	7.250(215.9)
18	2.5"	3/4"	4.625(142.9)	36	6.0"	4.0"	5.625(177.8)




单卡式偏心大小头 SINGLE CARD ECCENTRIC REDUCER

NO.	Nominal size(d)/Nenweite X Y		A
1	3/8"	1/4"	54.0
2	1/2"	1/4"	60.3
3	1/2"	3/8"	60.3
4	3/4"	3/8"	63.5
5	3/4"	1/2"	66.7
6	1.0"	1/2"	66.7
7	1.0"	3/4"	88.9
8	1.5"	3/8"	76.2
9	1.5"	3/4"	76.2
10	1.5"	1.0"	66.7
11	2.0"	1.5"	76.2

NO.	Nominal size(d)/Nenweite X Y		A
12	2.5"	1.5"	203.1
13	2.5"	1.5"	203.1
14	3.0"	1.5"	120.7
15	3.0"	2.0"	98.4
16	3.0"	2.5"	79.4
17	4.0"	2.0"	146.1
18	4.0"	2.5"	1 23.8
19	4.0"	3.0"	1 14.3
20	6.0"	3.0"	203.2
21	6.0"	4.0"	161.9


焊式偏心大小头WELDING ECCENTRIC REDUCER							
NO.	Nominal size(d)/Nenweite		A	NO.	Nominal size(d)/Nenweite		A
	X	Y			X	Y	
1	3/8"	1/4"	1.625(41.3)	19	2.5"	1.0"	4.625(117.5)
2	1/2"	1/4"	1.875(47.6)	20	2.5"	1.5"	3.375(85.7)
3	1/2"	3/8"	1.875(47.6)	21	2.5"	2.0"	2.5(63.5)
4	3/4"	3/8"	2(50.8)	22	3.0"	1/2"	6.625(168.3)
5	3/4"	1/2"	2.15(54.0)	23	3.0"	3/4"	6.125(155.6)
6	1.0"	3/8"	2.25(57.2)	24	3.0"	1.0"	5.625(142.9)
7	1.0"	1/2"	2.5(63.5)	25	3.0"	1.5"	4.255(108.0)
8	1.0"	3/4"	2.125(54.0)	26	3.0"	2.0"	3.375(85.7)
9	1.5"	3/8"	3(76.2)	27	3.0"	2.5"	2.625(66.7)
10	1.5"	1/2"	2.75(69.9)	28	4.0"	1/2"	8.375(212.7)
11	1.5"	3/4"	3(76.2)	29	4.0"	3/4"	8.125(206.4)
12	1.5"	1.0"	2.5(63.5)	30	4.0"	1.0"	7.375(187.3)
13	2.0"	1/2"	3.606(91.6)	31	4.0"	1.5"	6.375(161.9)
14	2.0"	3/4"	3.375(85.7)	32	4.0"	2.0"	5.125(130.2)
15	2.0"	1.0"	3.375(85.7)	33	4.0"	2.5"	4.25(108.2)
16	2.0"	1.5"	2.5(63.5)	34	4.0"	3.0"	3.875(98.4)
17	2.5"	1/2"	4.878(123.9)	35	6.0"	3.0"	7.25(184.2)
18	2.5"	3/4"	4.625(117.5)	36	6.0"	4.0"	5.625(142.9)



卡式同心大小头 CARD TYPE CONCENTRIC REDUCER

NO.	Nominal size(d)/Nenweite X	Y	A
1	3/4"	1/2"	2.000(50.8)
2	1.0"	1/2"	2.500(63.5)
3	1.0"	3/4"	2.000(50.8)
4	1.5"	1/2"	3.500(88.9)
5	1.5"	3/4"	3.000(76.2)
6	1.5"	1.0"	3.000(76.2)
7	2.0"	1/2"	5.500(139.7)
8	2.0"	3/4"	5.000(127.0)
9	2.0"	1.0"	5.000(127.0)
10	2.0"	1.5"	3.000(76.2)
11	2.5"	1/2"	7.500(190.5)
12	2.5"	3/4"	7.000(177.8)
13	2.5"	1.0"	7.000(177.8)

NO.	Nominal size(d)/Nenweite X	Y	A
14	2.5"	1.5"	5.000(127.0)
15	2.5"	2.0"	3.000(76.2)
16	3.0"	1.0"	9.000(228.6)
17	3.0"	1.5"	7.000(177.8)
18	3.0"	2.0"	5.000(127.0)
19	3.0"	2.5"	3.000(76.2)
20	4.0"	1.0"	13.1 25(333.4)
21	4.0"	1.5"	11.1 25(282.6)
22	4.0"	2.0"	9.125(231.8)
23	4.0"	2.5"	7.15(181.0)
24	4.0"	3.0"	5.125(130.2)
25	6.0"	3.0"	7.500(190.5)
26	6.0"	4.0"	7.625(193.7)




焊式同心大小头 WELDING TYPE CONCENTRIC REDUCER							
NO.	Nominal size, in.		A	NO.	Nominal size, in.		A
序号	X	Y	in(mm)	序号	X	Y	in(mm)
1	1/2"	1/4"	3.250 (82.6)	18	2.5"	1.0"	9.250 (235.0)
2	1/2"	3/8"	3.250 (82.6)	19	2.5"	1.5"	7.250 (184.2)
3	3/4"	3/8"	3.250 (82.6)	20	2.5"	2.0"	5.550 (139.7)
4	3/4"	1/2"	4.000 (101.6)	21	3.0"	1/2"	13.250 (336.6)
5	1.0"	3/8"	4.500(114.3)	22	3.0"	3/4"	12.250 (311.2)
6	1.0"	1/2"	4.500(114.3)	23	3.0"	1.0"	11.250 (285.8)
7	1.0"	3/4"	4.000 (101.6)	24	3.0"	1.5"	9.250 (235.0)
8	1.5"	3/8"	6.000(152.4)	25	3.0"	2.0"	7.500(190.5)
9	1.5"	1/2"	5.550 (139.7)	26	3.0"	2.5"	5.550 (139.7)
10	1.5"	3/4"	5.000(127.0)	27	4.0"	1/2"	17.500 (444.5)
11	1.5"	1.0"	5.000(127.0)	28	4.0"	3/4"	16.500 (419.1)
12	2.0"	1/2"	7.750 (196.9)	29	4.0"	1.0"	15.500 (393.7)
13	2.0"	3/4"	7.250 (184.2)	30	4.0"	1.5"	13.500 (342.9)
14	2.0"	1.0"	7.250 (184.2)	31	4.0"	2.0"	11.750 (298.5)
15	2.0"	1.5"	5.250 (133.4)	32	4.0"	2.5"	9.750 (247.7)
16	2.5"	1/2"	9.750 (247.7)	33	4.0"	3.0"	10.000 (254.0)
17	2.5"	3/4"	9.250 (235.0)	35	6.0"	4.0"	10.000 (254.0)

卡式异径四通

CARD TYPE REDUCING CROSS

NO.	Nominal size, in.		A	B
序号	X	Y	in (mm)	in (mm)
1	3/4"	1/2"	2.500(63.5)	2.500 (63.5)
2	1.0"	1/2"	2.625(66.7)	2.625 (66.7)
3	1.0"	3/4"	2.625(66.7)	2.625 (66.7)
4	1.5"	1/2"	2.875(73.0)	2.875 (73.0)
5	1.5"	3/4"	2.875(73.0)	2.875 (73.0)
6	1.5"	1.0"	2.875(73.0)	2.875 (73.0)
7	2.0"	1/2"	3.375(85.7)	3.125 (79.4)
8	2.0"	3/4"	3.375(85.7)	3.125 (79.4)
9	2.0"	1.0"	3.375(85.7)	3.125 (79.4)
10	2.0"	1.5"	3.375(85.7)	3.125 (79.4)
11	2.5"	1.0"	3.625 (92.1)	3.375 (85.7)
12	2.5"	1.5"	3.625 (92.1)	3.375 (85.7)

NO.	Nominal size, in.		A	B
序号	X	Y	in (mm)	in (mm)
13	2.5"	2.0"	3.625 (92.1)	3.375 (85.7)
14	3.0"	1.0"	3.875(98.4)	3.625(92.1)
15	3.0"	1.5"	3.875(98.4)	3.625(92.1)
16	3.0"	2.0"	3.875(98.4)	3.875(98.4)
17	3.0"	2.5"	3.875(98.4)	3.875(98.4)
18	4.0"	1.0"	4.750(120.7)	4.125(104.8)
19	4.0"	1.5"	4.750(120.7)	4.125(104.8)
20	4.0"	2.0"	4.750(120.7)	4.375(111.1)
21	4.0"	2.5"	4.750(120.7)	4.375(111.1)
22	4.0"	3.0"	4.750(120.7)	4.375(111.1)
23	6.0"	3.0"	7.125 (181.0)	5.375(136.5)
24	6.0"	4.0"	7.125 (181.0)	5.750(146.1)




焊式异径四通

WELDING TYPE REDUCING CROSS


NO.	Nominal size, in.		A	B
序号	X	Y	in (mm)	in (mm)
1	3/4"	1/2"	4.500(1 14.3)	4.992(1 26.8)
2	1.0"	1/2"	3.000(76.2)	5.1 25(130.2)
3	1.0"	3/4"	3.000(76.2)	5.1 25(130.2)
4	1.0"	1.0"	3.000(76.2)	5.1 25(130.2)
5	1.5"	1/2"	4.500(1 14.3)	6.874(1 74.6)
6	1.5"	3/4"	4.500(1 14.3)	6.874(1 74.6)
7	1.5"	1.0"	4.500(1 14.3)	6.874(1 74.6)
8	1.5"	1.5"	4.500(1 14.3)	6.874(1 74.6)
9	2.0"	1/2"	6.000(1 52.4)	7.622(193.6)
10	2.0"	3/4"	6.000(1 52.4)	7.622(193.6)
11	2.0"	1.0"	6.000(1 52.4)	7.622(1 93.6)
12	2.0"	1.5"	6.000(1 52.4)	7.622(1 93.6)
13	2.0"	2.0"	6.000(1 52.4)	7.622(193.6)
14	2.5"	1/2"	7.500(190.5)	8.625(219.1)
15	2.5"	3/4"	7.500(190.5)	8.625(219.1)
16	2.5"	1.0"	7.500(190.5)	8.625(219.1)
17	2.5"	1.5"	7.500(190.5)	8.625(219.1)

NO.	Nominal size, in.		A	B
序号	X	Y	in (mm)	in (mm)
18	2.5"	2.0"	7.500(1 90.5)	8.625(219.1)
19	2.5"	2.5"	7.500(190.5)	8.625(219.1)
20	3.0"	1/2"	9.000(228.6)	9.625(244.5)
21	3.0"	3/4"	9.000(228.6)	9.625(244.5)
22	3.0"	1.0"	9.000(228.6)	9.625(244.5)
23	3.0"	1.5"	9.000(228.6)	9.625(244.5)
24	3.0"	2.0"	9.000(228.6)	9.625(244.5)
25	3.5"	2.5"	9.000(228.6)	9.625(244.5)
26	3.0"	3.0"	9.000(228.6)	9.625(244.5)
27	4.0"	1/2"	12.000(304.8)	12.125(308.0)
28	4.0"	3/4"	1 2.000(304.8)	12.125(308.0)
29	4.0"	1.0"	12.000(304.8)	12.1 25(308.0)
30	4.0"	1.5"	12.000(304.8)	12.381 (314.5)
31	4.0"	2.0"	1 2.000(304.8)	12.381(314.5)
32	4.0"	2.5"	1 2.000(304.8)	12.381(314.5)
33	4.0"	3.0"	1 2.000(304.8)	12.381(314.5)



焊式同径四通 WELDING TYPE SAME DIAMETER CROSS


NO.	Nominal size(d)/Nenweite	A
序号	Inch	Inch
1	1/2"	1.875(47.6)
2	3/4"	2.000(50.8)
3	1.0"	2.125(54.0)
4	1.5"	2.375(60.3)
5	2.0"	2.875(73.0)
6	2.5"	3.125(79.4)
7	3.0"	3.375(85.7)
8	4.0"	4.125(104.8)
9	6.0"	5.625(142.9)




180°焊式异径三通 180° welded reducing tee

NO.	Nominal size, in.		A	B
序号	X	Y	in (mm)	in (mm)
1	3/4"	1/2"	4.500(114.3)	4.992(126.8)
2	1.0"	1/2"	3.000(76.2)	5.125(130.2)
3	1.0"	3/4"	3.000(76.2)	5.125(130.2)
4	1.0"	1.0"	3.000(76.2)	5.125(130.2)
5	1.5"	1/2"	4.500(114.3)	6.874(174.6)
6	1.5"	3/4"	4.500(114.3)	6.874(174.6)
7	1.5"	1.0"	4.500(114.3)	6.874(174.6)
8	1.5"	1.5"	4.500(114.3)	6.874(174.6)
9	2.0"	1/2"	6.000(152.4)	7.622(193.6)
10	2.0"	3/4"	6.000(152.4)	7.622(193.6)
11	2.0"	1.0"	6.000(152.4)	7.622(193.6)
12	2.0"	1.5"	6.000(152.4)	7.622(193.6)
13	2.0"	2.0"	6.000(152.4)	7.622(193.6)
14	2.5"	1/2"	7.500(190.5)	8.625(219.1)
15	2.5"	3/4"	7.500(190.5)	8.625(219.1)
16	2.5"	1.0"	7.500(190.5)	8.625(219.1)
17	2.5"	1.5"	7.500(190.5)	8.625(219.1)
18	2.5"	2.0"	7.500(190.5)	8.625(219.1)
19	2.5"	2.5"	7.500(190.5)	8.625(219.1)
20	3.0"	1/2"	9.000(228.6)	9.625(244.5)

NO.	Nominal size, in.		A	B
序号	X	Y	in (mm)	in (mm)
21	3.0"	3/4"	9.000(228.6)	9.625(244.5)
22	3.0"	1.0"	9.000(228.6)	9.625(244.5)
23	3.0"	1.5"	9.000(228.6)	9.625(244.5)
24	3.0"	2.0"	9.000(228.6)	9.625(244.5)
25	3.5"	2.5"	9.000(228.6)	9.625(244.5)
26	3.0"	3.0"	9.000(228.6)	9.625(244.5)
27	4.0"	1/2"	12.000(304.8)	12.125(308.0)
28	4.0"	3/4"	12.000(304.8)	12.125(308.0)
29	4.0"	1.0"	12.000(304.8)	12.125(308.0)
30	4.0"	1.5"	12.000(304.8)	12.381(314.5)
31	4.0"	2.0"	12.000(304.8)	12.381(314.5)
32	4.0"	2.5"	12.000(304.8)	12.381(314.5)
33	4.0"	3.0"	12.000(304.8)	12.381(314.5)



180°单卡异径三通									
NO.	Nominal size, in.		A	B	NO.	Nominal size, in.		A	B
序号	X	Y	in (mm)	in (mm)	序号	X	Y	in (mm)	in (mm)
1	3/4"	3/4"	4.500(114.3)	3.897(99.0)	18	2.5"	2.0"	7.500(190.5)	7.637(194.0)
2	1.0"	1/2"	3.000(76.2)	4.019(102.1)	19	2.5"	2.5"	7.500(190.5)	7.637(194.0)
3	1.0"	3/4"	3.000(76.2)	4.019(102.1)	20	3.0"	1/2"	9.000(228.6)	8.559(217.4)
4	1.0"	1.0"	3.000(76.2)	4.019(102.1)	21	3.0"	3/4"	9.000(228.6)	8.559(217.4)
5	1.5"	1/2"	4.500(114.3)	5.838(148.3)	22	3.0"	1.0"	9.000(228.6)	8.633(219.3)
6	1.5"	3/4"	4.500(114.3)	5.838(148.3)	23	3.0"	1.5"	9.000(228.6)	8.633(219.3)
7	1.5"	1.0"	4.500(114.3)	5.838(148.3)	24	3.0"	2.0"	9.000(228.6)	8.633(219.3)
8	1.5"	1.5"	4.500(114.3)	5.838(148.3)	25	3.5"	2.5"	9.000(228.6)	8.633(219.3)
9	2.0"	1/2"	6.000(152.4)	6.559(166.6)	26	3.0"	3.0"	9.000(228.6)	8.633(219.3)
10	2.0"	3/4"	6.000(152.4)	6.559(166.6)	27	4.0"	1/2"	12.000(304.8)	11.059(280.9)
11	2.0"	1.0"	6.000(152.4)	6.629(168.4)	28	4.0"	3/4"	12.000(304.8)	11.059(280.9)
12	2.0"	1.5"	6.000(152.4)	6.629(168.4)	29	4.0"	1.0"	12.000(304.8)	11.133(282.8)
13	2.0"	2.0"	6.000(152.4)	6.629(168.4)	30	4.0"	1.5"	12.000(304.8)	11.133(282.8)
14	2.5"	1/2"	7.500(190.5)	7.562(192.1)	31	4.0"	2.0"	12.000(304.8)	11.133(282.8)
15	2.5"	3/4"	7.500(190.5)	7.562(192.1)	32	4.0"	2.5"	12.000(304.8)	11.133(282.8)
16	2.5"	1.0"	7.500(190.5)	7.637(194.0)	33	4.0"	3.0"	12.000(304.8)	11.133(282.8)
17	2.5"	1.5"	7.500(190.5)	7.637(194.0)	34	4.0"	4.0"	12.000(304.8)	11.255(285.9)




卡式异径短三通

CARD TYPE REDUCING SHORT TEE


NO.	Nominal size, in.		A	B
序号	X	Y	in (mm)	in (mm)
1	3/4"	1/2"	2.5(63.5)	1.000 (25.4)
2	1.0"	1/2"	2.625(66.7)	1.125(28.6)
3	1.0"	3/4"	2.625(66.7)	1.125(28.6)
4	1.5"	1/2"	2.875(73.0)	1.375(34.9)
5	1.5"	3/4"	2.875(73.0)	1.375(34.9)
6	1.5"	1.0"	2.875(73.0)	1.375(34.9)
7	2.0"	1/2"	3.375(85.7)	1.625(41.3)
8	2.0"	3/4"	3.375(85.7)	1.625(41.3)
9	2.0"	1.0"	3.375(85.7)	1.625(41.3)
10	2.0"	1.5"	3.375(85.7)	1.625(41.3)
11	2.5"	1/2"	3.625 (92.1)	1.875(47.6)
12	2.5"	3/4"	3.625 (92.1)	1.875(47.6)
13	2.5"	1.0"	3.625 (92.1)	1.875(47.6)
14	2.5"	1.5"	3.625 (92.1)	1.875(47.6)
15	2.5"	2.0"	3.625 (92.1)	1.875(47.6)
16	3.0"	1/2"	3.875(98.4)	2.125 (54.0)
17	3.0"	3/4"	3.875(98.4)	2.125 (54.0)
18	3.0"	1.0"	3.875(98.4)	2.125 (54.0)

NO.	Nominal size, in.		A	B
序号	X	Y	in (mm)	in (mm)
19	3.0"	1.5"	3.875(98.4)	2.125 (54.0)
20	3.0"	2.0"	3.875(98.4)	2.125 (54.0)
21	3.0"	2.5"	3.875(98.4)	2.125 (54.0)
22	4.0"	1/2"	4.75 (120.7)	2.625 (66.7)
23	4.0"	3/4"	4.75 (120.7)	2.625 (66.7)
24	4.0"	1.0"	4.75 (120.7)	2.625 (66.7)
25	4.0"	1.5"	4.75 (120.7)	2.625 (66.7)
26	4.0"	2.0"	4.75 (120.7)	2.625 (66.7)
27	4.0"	2.5"	4.75 (120.7)	2.625 (66.7)
28	4.0"	3.0"	4.75 (120.7)	2.625 (66.7)
29	6.0"	1/2"	7.125 (181.0)	3.625(92.1)
30	6.0"	3/4"	7.125 (181.0)	3.625(92.1)
31	6.0"	1.0"	7.125 (181.0)	3.625(92.1)
32	6.0"	1.5"	7.125 (181.0)	3.625(92.1)
33	6.0"	2.0"	7.125 (181.0)	3.625(92.1)
34	6.0"	2.5"	7.125 (181.0)	3.625(92.1)
35	6.0"	3.0"	7.125 (181.0)	3.625(92.1)
36	6.0"	4.0"	7.125 (181.0)	3.375 (85.7)




单卡异径短三通 SINGLE CARD REDUCER SHORT TEE				
NO.	Nominal size, in.		A	B
序号	X	Y	in (mm)	in (mm)
1	3/4"	1/2"	2(50.8)	1 (25.4)
2	1.0"	1/2"	2.15(54.0)	1 .125(28.6)
3	1.0"	3/4"	2.15(54.0)	1 .125(28.6)
4	1.5"	1/2"	2.375(60.3)	1 .375(34.9)
5	1.5"	3/4"	2.375(60.3)	1 .375(34.9)
6	1.5"	1.0"	2.375(60.3)	1 .375(34.9)
7	2.0"	1/2"	2.875(73.0)	1 .625(41 .3)
8	2.0"	3/4"	2.875(73.0)	1 .625(41 .3)
9	2.0"	1.0"	2.875(73.0)	1 .625(41 .3)
10	2.0"	1.5"	2.875(73.0)	1 .625(41 .3)
11	2.5"	1/2"	3.1 25(79.4)	1 .875(47.6)
12	2.5"	3/4"	3.125(79.4)	1 .875(47.6)
13	2.5"	1.0"	3.125(79.4)	1 .875(47.6)
14	2.5"	1.5"	3.1 25(79.4)	1 .875(47.6)
15	2.5"	2.0"	3.1 25(79.4)	1 .875(47.6)
16	3.0"	1/2"	3.375(85.7)	2.125 (54.0)
17	3.0"	3/4"	3.375(85.7)	2.125 (54.0)
18	3.0"	1.0"	3.375(85.7)	2.125 (54.0)

NO.	Nominal size, in.		A	B
序号	X	Y	in (mm)	in (mm)
19	3.0"	1.5"	3.375(85.7)	2.125 (54.0)
20	3.0"	2.0"	3.375(85.7)	2.125 (54.0)
21	3.0"	2.5"	3.375(85.7)	2.125 (54.0)
22	4.0"	1/2"	4.125(104.8)	2.625 (66.7)
23	4.0"	3/4"	4.125(104.8)	2.625 (66.7)
24	4.0"	1.0"	4.125(104.8)	2.625 (66.7)
25	4.0"	1.5"	4.125(104.8)	2.625 (66.7)
26	4.0"	2.0"	4.125(104.8)	2.625 (66.7)
27	4.0"	2.5"	4.125(104.8)	2.625 (66.7)
28	4.0"	3.0"	4.125(104.8)	2.625 (66.7)
29	6.0"	1/2"	5.625(142.9)	2.625 (66.7)
30	6.0"	3/4"	5.625(142.9)	2.625 (66.7)
31	6.0"	1.0"	5.625(142.9)	2.625 (66.7)
32	6.0"	1.5"	5.625(142.9)	2.625 (66.7)
33	6.0"	2.0"	5.625(142.9)	2.625 (66.7)
34	6.0"	2.5"	5.625(142.9)	2.625 (66.7)
35	6.0"	3.0"	5.625(142.9)	2.625 (66.7)
36	6.0"	4.0"	5.625(142.9)	3.750 (95.3)




单卡同径三通 SINGLE CARD SAME DIAMETER TEE

NO.	Nominal size, in.	A in. (mm)	B in. (mm)
1	1/2"	1.875(47.6)	1.000(25.4)
2	3/4"	2.000(50.8)	1.125(28.6)
3	1.0"	2.125(54.0)	1.125(28.6)
4	1.5"	2.375(60.3)	1.375(34.9)
5	2.0"	2.875(73.0)	1.625(41.3)
6	2.5"	3.125(79.4)	1.875(47.6)
7	3.0"	3.375(85.7)	2.125(54.0)
8	4.0"	4.125(104.8)	2.750(69.9)
9	6.0"	5.625(142.9)	4.625(117.5)



焊式同径三通 WELDING TYPE SAME DIAMETER TEE


NO.	Nominal size, in.	A in. (mm)
1	1/4"	han's hi'ton'j
2	3/8"	1.750 (44.5)
3	1/2"	1.875(47.6)
4	3/4"	2.000(50.8)
5	1.0"	2.125(54.0)
6	1.5"	2.375(60.3)
7	2.0"	2.875(73.0)
8	2.5"	3.125(79.4)
9	3.0"	3.375(85.7)
10	4.0"	4.125(104.8)
11	6.0"	5.625(142.9)



90°单卡式弯头

90° SINGLE CARD ELBOW


NO.	Nominal size(d)/ Nen wei te		A		B	
	Inch	mm	Inch	mm	Inch	mm
1	1/4"	6.35	2.625	66.7	1.625	41.3
2	3/8"	9.53	2.625	66.7	1.625	41.3
3	1/2"	12.70	3.000	76.2	1.625	41.3
4	3/4"	19.05	3.000	76.2	1.625	41.3
5	1.0"	25.40	3.000	76.2	2.000	50.8
6	1.5"	38.10	3.750	95.3	2.750	69.9
7	2.0"	50.80	4.750	120.7	3.500	88.9
8	2.5"	63.50	5.500	139.7	4.250	108.0
9	3.0"	76.20	6.250	158.8	5.000	127.0
10	4.0"	101.60	8.000	203.2	6.625	168.3
11	6.0"	152.40	11.500	292.1	10.500	266.7



卡式同径四通

CARD TYPE SAME DIAMETER CROSS


NO.	Nominal size, in	A in(mm)	
	Inch	Inch	Inch
1	1/2"	2.250	(57.2)
2	3/4"	2.375	(60.3)
3	1.0"	2.625	(66.7)
4	1.5"	2.875	(73.0)
5	2.0"	3.375	(85.7)
6	2.5"	3.625	(92.1)
7	3.0"	3.875	(98.4)
8	4.0"	4.750	(120.7)
9	6.0"	7.125	(181.0)



90°卡式弯头

90 ° CARD TYPE ELBOW


NO.	Nominal	A	B
1	1/2"	1.625 (41.3)	1.125 (28.6)
2	3/4"	1.625 (41.3)	1.125 (28.6)
3	1.0"	2.000 (50.8)	1.500 (38.1)
4	1.5"	2.750 (69.9)	2.250 (57.2)
5	2.0"	3.500 (88.9)	3.000 (76.2)
6	2.5"	4.250 (108.0)	3.750 (95.3)
7	3.0"	5.000 (127.0)	4.500 (114.3)
8	4.0"	6.625 (168.3)	6.000 (152.4)
9	6.0"	10.500 (266.7)	9.000 (228.6)



180°焊式弯头

180 ° WELDED ELBOW


NO.	Nominal size(d)/ Nen wei te		A		B	
序号	Inch	mm	Inch	mm	Inch	mm
1	1/4"	6.35	4.500	114.3	2.625	66.7
2	3/8"	9.53	4.500	114.3	2.625	66.7
3	1/2"	12.70	4.500	114.3	3.000	76.2
4	3/4"	19.05	4.500	114.3	3.000	76.2
5	1.0"	25.40	3.000	76.2	3.000	76.2
6	1.5"	38.10	4.500	114.3	4.500	114.3
7	2.0"	50.80	6.000	152.4	5.000	127.0
8	2.5"	63.50	7.500	190.5	5.750	146.1
9	3.0"	76.20	9.000	228.6	6.500	165.1
10	4.0"	101.60	12.000	304.8	8.500	215.9
11	6.0"	152.40	18.000	457.2	11.500	292.1



L型仪表三通

L-SHAPED INSTRUMENT TEE


NO.	Nominal size(d)/Nenweite		A		B		C	
	Inch	mm	Inch	mm	Inch	mm	Inch	mm
1	1/4"	6.35	0.875	22.2	1.750	44.5	1.750	44.5
2	3/8"	9.53	0.875	44.5	1.750	44.5	1.750	44.5
3	1/2"	12.70	0.875	47.6	1.875	47.6	1.875	47.6
4	3/4"	19.05	1.000	25.4	2.000	50.8	2.000	50.8
5	1.0"	25.40	1.125	28.6	2.125	54.0	2.125	54.0
6	1.5"	38.10	1.375	34.9	2.375	60.3	2.375	60.3
7	2.0"	50.80	1.625	41.3	2.875	73.0	2.875	73.0
8	2.5"	63.50	1.875	47.6	3.125	79.4	3.125	79.4
9	3.0"	76.20	2.125	54.0	3.375	85.7	3.375	85.7
10	4.0"	101.60	2.750	69.9	4.125	104.8	4.125	104.8
11	6.0"	152.40	4.625	117.5	5.625	142.9	5.625	142.9



卡式异径三通


CARD-TYPE-REDUCING-TEE

NO.	Nominal size(d)/Nenweite		A		B	
	Inch	mm	Inch	mm	Inch	mm
1	3/8x1/4"	9.53x6.35	2.250	57.2	2.250	57.2
2	1/2x1/4"	12.70x6.35	2.375	60.3	2.375	60.3
3	1/2x3/8"	12.70x9.53	2.375	60.3	2.375	60.3
4	3/4x1/4"	19.05x6.35	2.500	63.5	2.500	63.5
5	3/4x3/8"	19.05x9.53	2.500	63.5	2.500	63.5
6	3/4x1/2"	19.05x12.70	2.500	63.5	2.500	63.5
7	1x1/4"	25.40x6.35	2.625	66.7	2.625	66.7
8	1x3/8"	25.40x9.53	2.625	66.7	2.625	66.7
9	1x1/2"	25.40x12.70	2.625	66.7	2.625	66.7
10	1x3/4"	25.40x19.05	2.625	66.7	2.625	66.7
11	1.5x1/2"	38.10x12.70	2.875	73.0	2.875	73.0
12	1.5x3/4"	38.10x19.05	2.875	73.0	2.875	73.0
13	1.5x1"	38.10x25.40	2.875	73.0	2.875	73.0
14	2x1/2"	50.80x12.70	3.375	85.7	3.125	79.4
15	2x3/4"	50.80x19.05	3.375	85.7	3.125	79.4
16	2x1"	50.80x25.40	3.375	85.7	3.125	79.4
17	2x1.5"	50.80x38.10	3.375	85.7	3.125	79.4




—焊式仪表三通—WELDING-INSTRUMENT-TEE—

NO.	Nominal size(d)/Nenweite		A		B	
	Inch	mm	Inch	mm	Inch	mm
1	1/2x1 .5"	12.70x38.10	2.500	63.5	0.875	22.2
2	3/4x1.5"	19.05x38.10	2.500	63.5	1.000	25.4
3	1x1 .5"	25.40x38.10	2.500	63.5	1.125	28.6
4	1/2x2"	12.70x50.80	2.750	69.9	1.000	25.4
5	3/4x2"	19.05x50.80	2.750	69.9	1.125	28.6
6	1x2"	25.40x50.80	2.750	69.9	1.125	31.8
7	1 .5x2"	38.10x50.80	2.750	69.9	1.500	31.8



—卡式仪表三通—CARD-TYPE-INSTRUMENT-TEE—


NO.	Nominal size(d)/ Nen wei te		A		B	
	Inch	mm	Inch	mm	Inch	mm
1	1/2x1 .5"	12.70x38.10	2.500	63.5	0.875	22.2
2	3/4x1 .5"	19.05x38.10	2.500	63.5	1.000	25.4
3	1 x1 .5"	25.40x38.10	2.500	63.5	1.125	28.6
4	1/2x2"	12.70x50.80	2.750	69.9	1.000	25.4
5	3/4x2"	19.05x50.80	2.750	69.9	1.125	28.6
6	1x2"	25.40x50.80	2.750	69.9	1.125	31.8
7	1 .5x2"	38.10x50.80	2.750	69.9	1.500	31.8



单卡式同心大小头

SINGLE CARD CONCENTRIC REDUCER


NO.	Nominal size(d)/Nenweite		A	
序号	Inch	mm	Inch	mm
1	3/8x1/4"	9.53x6.35	2.125	54.0
2	1/2x1/4"	12.70x6.35	2.375	60.3
3	1/2x3/8"	12.70x9.53	2.375	60.3
4	3/4x3/8"	19.05x9.53	2.500	63.5
5	3/4x1/2"	19.05x12.70	2.625	66.7
6	1x1/2"	25.40x12.70	3.000	76.2
7	1x3/4"	25.40x19.05	2.625	66.7
8	1.5x3/4"	38.10x19.05	3.500	88.9
9	1.5x1"	50.80x25.40	3.000	76.2
10	2x1"	50.80x38.10	3.875	98.4
11	2x1.5"	63.50x38.10	3.000	76.2
12	2.5x1/2"	63.50x50.8	3.875	98.4
13	2.5x2"	76.20x38.10	3.000	76.2
14	3x1.5"	76.20x38.10	4.750	120.7
15	3x2"	76.20x50.40	3.875	98.4
16	3x2.5"	76.20x63.50	3.125	79.4
17	4x2"	101.60x50.40	5.750	146.0
18	4x2.5"	101.60x63.50	4.875	123.8
19	4x3"	101.60x76.20	4.500	114.3
20	6x3"	152.40x76.20	8.000	203.2



焊式同径四通


WELDING-TYPE-SAME-DIAMETER-CROSS

NO.	Nominal size(d)/Nenweite		A	
序号	Inch	mm	Inch	mm
1	1/4"	6.35	1.750	44.5
2	3/8"	9.53	1.750	44.5
3	1/2"	12.70	1.875	47.6
4	3/4"	19.05	2.000	50.8
5	1.0"	25.40	2.125	54.0
6	1.5"	38.10	2.375	60.3
7	2.0"	50.80	2.875	73.0
8	2.5"	63.50	3.125	79.4
9	3.0"	76.20	3.375	85.7
10	4.0"	101.60	4.125	104.8
11	6.0"	152.40	5.625	142.9




盲盖 BLIND COVER

NO.	Nominal size(d)/Nenweite		A		Flange Dimensions/ klam merab mes sung	
序号	Inch	mm	Inch	mm	Inch	mm
1	1/4"	6.35	0.187	4.7	0.984	25.0
2	3/8"	9.53	0.187	4.7	0.984	25.0
3	1/2"	12.70	0.187	4.7	0.984	25.0
4	3/4"	19.05	0.187	4.7	0.984	25.0
5	1.0"	25.40	0.250	6.4	1.984	50.5
6	1.5"	38.10	0.250	6.4	1.984	50.5
7	2.0"	50.80	0.250	6.4	2.516	64.0
8	2.5"	63.50	0.250	6.4	3.047	77.5
9	3.0"	76.20	0.250	6.4	3.579	91.0
10	4.0"	101.60	0.312	7.9	4.682	119.0
11	6.0"	152.40	0.437	11.1	6.570	167.0




焊式拉杆蝶阀 WELDING-TYPE PULL-ROD BUTTERFLY VALVE

NO.	SIZE	L±0.5	A	B	C	D	E
1	1.0"	50	25.4	22.1	67	72	134
2	1.5"	50	38.1	34.8	77	78	134
3	2.0"	50	50.8	47.5	90	83	134
4	2.5"	50	63.5	60.2	105	92	134
5	3.0"	50	76.2	72.9	115	97	134
6	4.0"	60	101.6	97.6	140	109	134
7	6.0"	78	152.4	146.8	218	172	319
8	8.0"	100	203.2	197.6	276	201	319



三片式拉杆蝶阀 THREE PIECE PULL ROD BUTTERFLY VALVE


NO.	SIZE	L±0.5	A	B	D	E
1	1.0"	100	25.4	22.1	77	134
2	1.5"	100	38.1	34.8	82	134
3	2.0"	100	50.8	47.5	88	134
4	2.5"	100	63.5	60.2	98	134
5	3.0"	100	76.2	72.9	108	134
6	4.0"	100	101.6	97.6	115	134



焊式握把蝶阀

THREE PIECE PULL ROD BUTTERFLY VALVE


NO.	SIZE	L±0.5	A	B	C	D	E
1	1.0"	50	25.4	22.1	67	73	150
2	1.5"	50	38.1	34.8	77	79	150
3	2.0"	50	50.8	47.5	90	85	150
4	2.5"	50	63.5	60.2	105	93	150
5	3.0"	50	76.2	72.9	115	98	150
6	4.0"	60	101.6	97.6	140	110	150
7	6.0"	78	152.4	146.8	218	201	351
8	8.0"	100	203.2	197.6	276	230	351



三片式焊接球阀

Three-piece welded ball


valve DN	SIZE	L	BW	E	H	D	T
15	1/2"	135	10.2	122.9	58.0	12.70	1.24
20	3/4"	135	15.8	122.9	61.0	19.05	1.65
25	1"	152	22.1	144.9	68.0	25.40	1.65
32	1-1/4"	157	28.5	144.9	73.5	31.80	1.65
40	1-1/2"	190	34.8	188.9	84.5	38.10	1.65
50	2"	204	47.5	188.9	93.2	50.80	1.65
65	2-1/2"	254	60.2	255.3	131.8	63.50	1.65
80	3"	280	72.9	260.8	140.0	76.20	1.65
100	4"	306	97.4	322.2	173.6	101.6	1.65




三片式卡接球阀


Three-Piece-Clamp-Ball-Valve

SIZE	D(mm)	d(mm)	k(mm)	B(mm)	L(mm)	A(mm)
3/4"	19	15.5	50.5	38	103	140
1"	25	22	50.5	43	114	142
1-1/4"	32	28.5	50.5	48	125	170
1-1/2"	38	34	50.5	50	139	180
2"	51	48	64	60	154	225
2-1/2"	63	59	77	72	168	260
3"	76	72	91	100	200	310
3-1/2"	89	84	106	100	200	310
4"	102	98	119	115	249	350





快装隔膜阀 QUICK INSTALLATION DIAPHRAGM VALVE			
NO.	size	L	H
1	1"	130	130
	1 -1/4"	161	161
	1 -1/2"	161	161
	2"	172	172



焊接隔膜阀 WELDING DIAPHRAGM VALVE			
NO.	L	LS	H
1	1"	130	19
	1 -1/4"	161	26
	1 -1/2"	161	26
	2"	172	32