



HANFA GROUP

PRODUCT PICTURE ALBUM

- Exploration Drilling Rig
- Mining Machinery
- Food Packaging Machinery
- Commercial Vehicle

HANFA GROUP

E-mail: info@hanfagroup.com

Phone: 0086-371-55019187 0086-371-55019184 0086 17739786040

Address: Room 602, Building 7, E-commerce Industrial Park,
Dongqing Street, High-tech Zone, Zhengzhou, Henan, China.

Web: WWW.HANFAGROUP.COM WWW.AK-MINING.COM WWW.HANFAMAICHUAN.COM




WhatsApp



WeChat





Hanfa Group is a globally renowned multinational industrial corporation with profound industry heritage. We are dedicated to providing global clients with excellent supply and comprehensive services for drilling equipment, mining machinery, intelligent packaging systems, engineering vehicles, etc. As an industry benchmark, we have earned international recognition and trust through premium product quality, innovative technological solutions and worldwide high-efficiency service network.



Hanfa Group operates 6 professional subsidiaries, covering the entire value chain of equipment research and development, intelligent manufacturing, global sales and large-scale engineering Procurement & Construction (EPC). Additionally, as the authorized strategic partner of Tri-Ring Group engineering vehicles, we continually enhance our core competitiveness in global markets.

Advanced Drilling Solutions: We deliver technologically advanced, full-range drilling equipment to address diverse and demanding operating conditions. They are extensively applied in geological exploration, energy extraction (oil & gas), Water conservancy and hydropower engineering, solar farm construction, major construction projects.

Localization Strategy: Establishing wholly-owned subsidiaries in the Philippines, Tanzania, and key markets to achieve deep market embeddedness, delivering rapid-response localized services that ensure uninterrupted client operations.

Mega-Project Execution Excellence: Successful delivery of Nigeria's large-scale copper mining development project (comprehensive equipment supply + engineering services), demonstrating our integrated EPC capabilities and high-end equipment integration prowess for complex global projects.

Global Brand Influence Expansion: Actively advancing global industrial chain partnerships. We participate more than 20 international trade shows annual and host 100+ high-profile client delegations. Hanfa's brand footprint now spans five continents, with influence growing steadily worldwide.



Hanfa Group adheres to the core values of "Expertise and Excellence, Innovation-Driven, Collaborative Win-Win. Through a rigorous, full-process quality control system and continuous investment in R&D and innovation, we ensure every piece of equipment delivers exceptional performance and extended service life. Our experienced, professional team provides clients with one-stop value delivery, including pre-project consultation and model selection, customized solution design, full lifecycle after-sales support, etc. Empowering our clients to achieve business success and sustainable development.

Partner with Hanfa Group to expand your global reach!

CUSTOMER VISITS



THE EXHIBITION SCENE



Product quality is our life, strive to create high quality products, provide strong support in the competition for customers.



HANFA GROUP
FOOD PACKAGING
MACHINERY
PORTFOLIO



BURGER BOX

T: 98x95x33mm	B: 98x95x33mm	200pcs/ctn
T: 208x70x39mm	B: 208x70x39mm	500pcs/ctn
T: 118x115x39.5mm	B: 118x115x39.5mm	500pcs/ctn
T: 120x120x32.5mm	B: 120x120x32.5mm	500pcs
T: 113x95x37.5mm	B: 109x100x37.5mm	200pcs/ctn
T: 155x155x42mm	B: 158x153x42mm	200pcs/ctn



SANDWICH WEDGE

#3	120x55x120mm	500pcs/ctn
#4	120x75x120mm	500pcs/ctn
#7	123x72x123mm	500pcs/ctn
#8	125x52x123mm	500pcs/ctn
#9	123x82x123mm	500pcs/ctn
#10	120x 76x120mm	500pcs/ctn
#11	120x64x120mm	500pcs/ctn
#12	120x82x120mm	500pcs/ctn
#13	120x74.5x120mm	500pcs/ctn
#14	123x75x123mm	500pcs/ctn
#15	122x65x122mm	500pcs/ctn



CAKE BOX

#1	100x100x40mm	500pcs/ctn
#2	120x120x50mm	500pcs/ctn
#3	140x140x40mm	500pcs/ctn
#4	140x140x50mm	500pcs/ctn



SALAD BOWL

500ml	Φ150x130x45mm	300pcs/ctn
625ml	Φ150x128x53mm	300pcs/ctn
750ml	Φ150x128x60mm	300pcs/ctn
900ml	Φ185x165x49mm	300pcs/ctn
1000ml	Φ185x165x49mm	300pcs/ctn
1300ml	Φ150x128x78mm	300pcs/ctn



POPCORN BUCKET

85oz	180*145*160mm	200pcs/ctn
150oz	214*160*168mm	150pcs/ctn



RIPPLE WALL PAPER CUP

4oz	Φ62x45x62mm	1000pcs/ctn
8oz	Φ80x56x93mm	500pcs/ctn
12oz	Φ90x60x111mm	500pcs/ctn
16oz	Φ90x56x135mm	500pcs/ctn
20oz	Φ90x60x150mm	500pcs/ctn



DOUBLE WALL PAPER CUP


8oz	Φ80x56x93mm	500pcs/ctn
12oz	Φ90x60x111mm	500pcs/ctn
16oz	Φ90x56x135mm	500pcs/ctn
20oz	Φ90x60x150mm	500pcs/ctn

Lid Option: PS/CPLA Φ80/Φ90mm



HFQA-13001600
Slitting machine
Cutting speed: 0-300m/min
Cutting weight: 20-200gsm
Input power: 380V, three-phase four-wire

HFZSFQ-13001600
Slitting machine
Cutting speed: 0-350m/min
Cutting weight: 20-200gsm
Model size: 3510*2845*1750
Total weight: 4000KG



HFRY-850B
Four-color wide-format flexo printing machine
Printing color: 4 colors
Printing speed: 50m-60m/min
Voltage: 380V±10%
Total power: 36kw
Total air pressure: 0.6MP

HF-RY950
4color flexo printing machine
Printing colors: 4 colors
Printing speed: 60m-80m/min
Voltage: 380V±10%
Total power: 45kw
Total air pressure: 0.6-0.8MP



HF-ZBJ-120
Paper cup machine
Packaging speed: 70-90 pieces/minute
Total power: 8.0 kW
Voltage: 220 v50 Hz/380 v50 Hz or customized Paper cup size: 1.5-16 ounces

HF-ZWJ-150
Paper bowl machine
Packaging speed: 80-100 pieces/minute
Bottom diameter (B): 60 ~ 135 MM
Upper diameter (T): 50~150 MM.
Height (H): 30~110 MM



MC-180
Horizontal Packaging Machine
Packing speed: 30~150 bags/min
Film size: 90-400mm
Package length: 60-500mm
Package width: 35-160mm
General power: 5KW

MC-280
Intelligent pillow type packing machine
Packing speed: 25~120 bags/min
Film size: 200-600mm
Package length: 120-500mm
Package width: 200mm
General power: 4.7KW



MC-580
Intelligent pillow type packing machine
Packing speed: 30~350 bags/min
Film size: 90-400mm
Package length: 45-100mm
Package width: 35-60mm
General power: 7KW

MC-602W
Intelligent pillow type packing machine
Packing speed: 25~80 bags/min
Film size: 600mm
Package length: 120-600mm
Package width: 250mm
General power: 8.6KW



HF-G4020
Cutting Machine
power: 2000W--6000W
Cutting range: 4050mm × 2050mm
Z-axis travel: 240mm
Total machine weight: about 14.6 tons
Overall machine footprint: 10200mm × 6400mm



MC-602
Intelligent pillow type packing machine

Packing speed: 25~120 bags/min
Film size: 600mm
Package length: 120-600mm
Package width: 250mm
General power: 7.6KW



MC-180H
Reciprocating packaging machine

Packing speed: 20-140 bag/min
Film size: 100-320 mm
Package length: 50-190mm
Package width: 50-150mm
General power: 4.65KW



HF-ZLDG series
Fully automatic oil filling machine

Number filling heads: 4/8/12/16/20/24
Filling capacity: 100 - 10000ml
Production capacity (b/h):
800-1200/1500-2500/1000-1500/1500-2200/
1600-2200/1800-2600
Accuracy: ≤0.5%
Power supply: 50HZ/60HZ 3N-380V ± 10%



HF-HTT-CB
Round Bottle Automatic Labeling Machine

1. Production speed: 1000-4000 bottles/hour
2. Working voltage: 380v/220V 50Hz
3. Application scope: Single label circular bottle sticker
4. Labeling accuracy: ± 1mm
5. Size of the sticker: thickness ≤ 80mm, height ≤ 600mm

MC-801W
Intelligent pillow type packing machine

Packing speed: 25~70 bags/min
Film size: 900mm
Package length: 150-600mm
Package width: 350mm
General power: 7.5KW



MC-180W
Packaging machine

Packing speed: 20-90 bag/min
Film size: 100-320 mm
Package length: 50-190mm
Package width: 50-150mm
General power: 3.9 KW




HF-300
Large Barrel Water Filling Production Line

Filling capacity: 3-5 gallons
Barrel size specification: φ 276 × 490
Production capacity: 300 barrels per hour



HF-WT
Fully Automatic Double Side Labeling Machine

Labeling speed: 40-200 pieces/minute (depending on material and label size)
Labeling accuracy: ± 1.0mm (excluding material and label size)
Material size: (L) 20-200mm (H) 30-184mm
Label size: L: 40-200mm W: 25-130mm H: 40-360mm
Applicable label roll inner diameter: φ 76mm
Applicable label roll outer diameter: ≤φ 350mm



MC-1000Plus
Intelligent pillow type packing machine

Packing speed: 30~120 bags/min
Film size: 90-400mm
Package length: 120-500mm
Package width: 35-140mm
General power: 2.8KW



MC-180YT
Integrated weighing and packing all in one machine

Packing speed: 20-100 bag/min
Film size: 100-320 mm
Package length: 50-190mm
Package width: 50-150mm
General power: 5.1 KW
Weighing range: 10-300g
Accuracy: +0.3-2g
Max. speed: 20-100bags/min



HF-GCP-14/18
siphon filling machine

Printing color: 4 colors
Printing speed: 50m-60m/min
Voltage: 380V±10%
Total power: 36kw
Total air pressure: 0.6MP



Fully automatic inline intelligent weighing and filling machine

1. Applicable bottle diameter: smaller 140 × 200 × 320 mm, larger 260 × 290 × 500 mm
2. Measurement accuracy: ± 0.2%
3. Filling capacity: 5-30 kilograms
4. Production capacity: ≤ 500 barrels per hour

MC-3000
Intelligent pillow type packing machine

Packing speed: 30~120 bags/min
Film size: 90-400mm
Package length: 120-500mm
Package width: 35-160mm
General power: 3.1KW



MC-200H
Reciprocating packaging machine

Packing speed: 20-120 bag/min
Film size: 200-420 mm
Package length: 50-275mm
Package width: 90-200mm
General power: 4.9KW



HF-GCP-12
Universal Liquid Filling Machine

Number of filling heads: 12
Production capacity: 1200-1500 bottles/hour
Measurement error: ± 1%
Bottle height: 60-330mm
Filling volume: 50-800ml



HF-CGF series
Red wine three in one filling machine

1. Production capacity: up to 2000 bottles per hour.
2. Bottle diameter: 50-100mm, bottle height: 250-380mm, filling volume: 100-1500ml,
3. Suitable for fully automated operation of circular containers such as glass, porcelain, plastic, and ceramic bottles.
4. Filling accuracy: Liquid level ± 2mm



HF-G13032
Cutting Machine

Cutting range: No limit
Laser power: 6000W, 8000W, 12000W, 15000W, 20000W, 30000W
Maximum idling speed: 100m/min
Maximum cutting speed: 35-80m/min
positioning accuracy: 0.03mm
Repeatability: 0.02mm



New product




MC-300D
Packaging machine

Packing speed: 15-60 bag/min
Film size: 420-620 mm
Package length: 80-400mm
Package width: 200-300mm
General power: 4.65KW

HF-CGJ-6B
fully automatic inline capping machine

1. Production capacity: ≤ 8000 bottles/hour
2. Applicable bottle diameter: φ 35-96 millimeters; 80-230 millimeters high
3. Bottle cap specification: φ 12-50mm; Height: 15-40mm
4. Gas source pressure: 0.5-0.7 MPA



HFTY-1
Anti-theft sealing machine

1. Production capacity: 1250 or 2400 bottles/hour
2. Applicable bottle height: 100-320mm
3. Bottle mouth diameter: φ 18-35mm



Weighing lubricating oil filling machine

1. Container injection port diameter: ≥ φ 30mm
2. Container diameter: 80mm × 170mm
3. Filling range: 5L-20L
4. Filling error: ± 0.5%
5. Production capacity: < 300 barrels/hour
6. Working environment temperature: 0-40 °C