



SHANDONG KINGSTAR SPORTS FITNESS CO.,LTD



Create New State Of Health

SHANDONG KINGSTAR SPORTS FITNESS CO., LTD ADD: North Area, wulian county, Shandong Province, China 262300

TEL: +86-633-7930068, 7930069

E-mail: king@kingstarfit.com / kingstar@163169.net

WWW.KINGSTARFITNESS.COM





WE ARE ONE PROFESSIONAL FACTORY IN PRODUCING FITNESS EQUIPMENT FROM 2000, INCLUDING MOTORIZED TREADMILL, STRENGTH EQUIPMENT, ELLIPTICAL MACHINE, RECUMBENT BIKE, STEPPER, OEM-CUSTOMER'S DESIGN, ETC. THE MAIN SPARE PARTS(MOTOR, PCB) ARE MADE IN TAIWAN WITH BEST QUALITY. WE SELL OUR PRODUCTS TO EUROPE, AUSTRALIA, MIDDLE-EAST, SOUTH AMERICAN, ASIA AND SO ON.



Create New State Of Health



QUALITY FIRST, CUSTOMER SUPER-VALUE IS OUR CONSTANT PURSUIT
GUARANTEE QUALITY, PROMPT DELIVERY, COMPETITIVE PRICE-
IS OUR PROMISE.

WE WELCOME ALL CUSTOMERS TO ESTABLISH BUSINESS
RELATIONSHIP WITH US.

Specification

Model No.:AC8100

AC5HP

15.6" TFT Display / 7LED Display

Speed, Time, Distance, Calorie, USB, HRC, Fan, Body Fat

1.0-25.0km/h Speed Range

0-20% Auto Incline

1600X600MM Walking Area

200kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:2130x895x1530

Carton Size:2230x1000x420mm

G.W.:240KGS/N.W.:170KGS

Loading Q' TY:16PCS/20' 40PCS/40' 45PCS/40' HQ



Specification

Model No.:AC8000

AC5HP

15.6" TFT Display / 5 LED Display

Speed, Time, Distance, Calorie, USB, HRC, Fan, Body Fat

1.0-25.0km/h Speed Range

0-20% Auto Incline

1600X580MM Walking Area

200kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:2100x810x1520MM

Carton Size:2290x1020x505MM/1050X990X280MM

G.W.:240KGS/N.W.:170KGS

Loading Q' TY:18PCS/20' 44PCS/40' 44PCS/40' HQ



Specification

Model No.:AC5000

AC4HP

7" LCD DISPLAY

Speed,Time ,Distance,Calorie,USB,HRC,Fan,Body Fat

1.0-22.0km/h Speed Range

0-20% Auto Incline

1600X600MM Walking Area

200kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:2140x920x1500MM

Carton Size:2300X1000X510MM/1350X1020X380MM

G.W.:212KGS/N.W.:142KGS

Loading Q' TY:14PCS/20' 29PCS/40' 36PCS/40' HQ



Specification

Model No.:AC3000

AC4HP

5LED Display

Speed,Time ,Distance,Calorie,USB,HRC,Fan,Body Fat

1.0-22.0km/h Speed Range

0-20% Auto Incline

1530X560MM Walking Area

200kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:2200x830x1450MM

Carton Size:2290X940X640MM

H.W.:221KGS/N.W.:144KGS

Loading Q' TY:18PCS/20' 36PCS/40' 48PCS/40' HQ



Specification

Model No.:AC43E

AC3HP
5" LCD DISPLAY
Speed,Time ,Distance,Calorie,USB,HRC,Fan,Body Fat
1.0–20.0km/h Speed Range
0–15% Auto Incline
1350X500MM Walking Area
180kgs Max User Weight
220 ± 10%V(50/60HZ)
Measurement:1800X810X1400MM
Carton Size:2110X860X380MM
G.W.:100KGS/N.W.:85KGS
Loading Q' TY:36PCS/20' 78PCS/40' 94PCS/40' HQ



CE
EMC EN957
CREATE NEW STATE OF HEALTH

Specification

Model No.:AC59E

AC3HP
7" LCD Display/
Speed,Time ,Distance,Calorie,USB,HRC,Fan,Body Fat
1.0–20.0km/h Speed Range
0–15% Auto Incline
1500X560MM Walking Area
180kgs Max User Weight
220 ± 10%V(50/60HZ)
Measurement:1980X890X1440MM
Carton Size:2240X1010X430MM/1030X1010X360MM
H.W.:113KGS/N.W.:99KGS
Loading Q' TY:18PCS/20' 42PCS/40' 50PCS/40' HQ





TREADMILL

KRZ004

DC1.5HP

4 LED Display
Speed, Time, Distance,
Calorie,
1-10km/h Speed Range
930x380mm Walking Area
100kgs Max User Weight
G.W./N.W.:20/18kgs
Loading Qty:
360pc/20', 720pc/40',
800pc/40'HQ

Specification:

Adjust speed or turn on/off through
remote controler.
Foldable handle bar design,the max speed 10km/h
when opening handle bar,the max speed 6km/h when
folding handle bar
Mobile phone or pad holder fixed onto handle bar
Two manual incline,unassamble design
it is easy to storage under bed or Sofa with so thin design



DC86E

DC2HP

5 WHITE LED Display
time,distance,speed,pulse,calorie,mp3,
usb,blue tooth4.0,app

1-16km/h Speed Range
1200x450mm Walking Area
0-15% Auto Incline
120kgs Max User Weight
G.W./N.W.:55/52kgs
Loading Qty:
55pc/20', 70pc/40', 160pc/40'HQ



DC85

DC1.25HP

LED Display
time,distance,speed,pulse,calorie,mp3,
usb,blue tooth4.0,app

1-10km/h Speed Range
1050x420mm Walking Area
120kgs Max User Weight
G.W./N.W.:32/28kgs
Loading Qty:
105pc/20', 210pc/40', 1250pc/40'HQ



Specification

Model No.:DC81E

DC1.5HP

5" LCD Display

Time,distance,speed,pulse,calorie,Program,Tooth,App

1.0-14.0km/h Speed Range

0-15% Auto Incline

1300x460MM Walking Area

120kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1760x730x1310MM/1000X730X1570MM

Carton Size:1710X810X350MM

G.W.:65KGS/N.W.:55KGS

Loading Q' TY:52PCS/20' 108PCS/40' 134PCS/40' HQ



CE
EMC EN957
CREATE NEW STATE OF HEALTH



Specification

Model No.:DC82E

DC3HP

6 LED Display/7" LCD Display

Time,distance,speed,pulse,calorie,Program

1.0-20.0km/h Speed Range

0-15% Auto Incline

1400x500MM Walking Area

140kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:2070X880X1335MM/1290X880X1030MM

Carton Size:2000x90x400MM

G.W.: 95 KGS/N.W.: 85KGS

Loading Q' TY:31PCS/20' 65PCS/40' 65PCS/40' HQ



Specification

Model No.:DC84E

DC1.5HP
 5" LCD Display
 Time,distance,speed,pulse,calorie,Program
 1.0-14.0km/h Speed Range
 3 Manual Incline
 1250x460MM Walking Area
 120kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1720X740X1140MM/950X740X1430MM
 Carton Size:1810X6700X370MM
 G.W.: 55 KGS/N.W.: 50KGS
 Loading Q' TY:60PCS/20' 123PCS/40' 140PCS/40' HQ



Specification

Model No.:DC77

DC2HP
 4 LED Display
 Time,distance,speed,calorie,Program
 1.0-16.0km/h Speed Range
 1250x460MM Walking Area
 120kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1530X810X1190MM/1530X810X345MM
 Carton Size:1930X910X370MM
 G.W.: 70 KGS/N.W.: 60KGS
 Loading Q' TY:47PCS/20' 100PCS/40' 114PCS/40' HQ



Specification

Model No.:DC80E

DC3HP

10.1" TFT Display /6 white LED Display/7" LCD Display
Time,distance,speed,pulse,calorie,mp3,usb,blue tooth,
steps, altitude, pace,HRC

1.0-20.0km/h Speed Range

0-15% Auto Incline

1410X480MM Walking Area

130kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1920X790X1390MM/1140x790x1650mm

Carton Size1960X870X380MM

G.W.:80KGS/N.W.:71KGS

Loading Q' TY:38PCS/20' 80PCS/40' 91PCS/40' HQ



CE
EMC EN957
CREATE NEW STATE OF HEALTH
GS

Specification

Model No.:DC79E

DC4HP

10.1" TFT Display /6 white LED Display

Time,distance,speed,pulse,calorie,mp3,usb,blue tooth,steps, altitude, pace,HRC

1.0-22.0km/h Speed Range

0-15% Auto Incline

1530X540MM Walking Area

140kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1990x895x1480MM/1120x895x1720mm

Carton Size:2110X980X300MM/920X1000X190MM

G.W.:119KGS/N.W.:102KGS

Loading Q' TY:33PCS/20' 64PCS/40' 74PCS/40' HQ



Specification

Model No.:DC76E

DC3HP

7" LCD Display/6 LED Display/14" TFT Display

Time,distance,speed,pulse,calorie,Program,USB,MP3

1.0-20.0km/h Speed Range

0-15% Auto Incline

1400x500MM Walking Area

130kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1940X830X1400MM/1180X830X1650MM

Carton Size:1970X900X420MM

G.W.:106KGS/N.W.:91KGS

Loading Q' TY:64PCS/20' 72PCS/40' 84PCS/40' HQ



CE
EMC EN957
CREATE NEW STATE OF HEALTH



Specification

Model No.:DC72E

DC2.5HP

7" LCD Display

Time,distance,speed,pulse,calorie,Program,USB,MP3

1.0-18.0km/h Speed Range

0-15% Auto Incline

1350x500MM Walking Area

130kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:2060x855x1410MM/1155x855x1740MM

Carton Size:1950X850X400MM

G.W.:84KGS/N.W.:76KGS

Loading Q' TY:38PCS/20' 81PCS/40' 93PCS/40' HQ



Specification

Model No.:DC74

DC1.5HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program
 1.0-12.0km/h Speed Range
 3 Manual Incline
 1250x420MM Walking Area
 110kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1600x700x1340MM/890X700X1470MM
 Carton Size:1690X770X310MM
 G.W.: 62 KGS/N.W.:56 KGS
 Loading Q' TY:72PCS/20' 147PCS/40' 168PCS/40' HQ



CE
 EMC EN957
 CREATE NEW STATE OF HEALTH
 GS

Specification

Model No.:DC75

DC2HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program
 1.0-16.0km/h Speed Range
 3 Manual Incline
 1300x450MM Walking Area
 120kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1630x730x1295MM/920X730X1520MM
 Carton Size:1730X820X310MM
 G.W.: 72 KGS/N.W.:66 KGS
 Loading Q' TY:56PCS/20' 1117PCS/40' 143PCS/40' HQ



Specification

Model No.:DC69E

DC1.5HP
 7" LCD Display
 Time,distance,speed,pulse,calorie,Program,USB,MP3
 1.0-12.0km/h Speed Range
 1300x460MM Walking Area
 120kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1800X760X1290MM/1025X760X1550MM
 Carton Size:1810X810X370MM
 G.W.:84KGS/N.W.:76KGS
 Loading Q' TY:48PCS/20' 96PCS/40' 116PCS/40' HQ



CE
 EMC EN957
 CREATE NEW STATE OF HEALTH
 GS

Specification

Model No.:DC70E

DC2HP
 7" LCD Display
 Time,distance,speed,pulse,calorie,Program,USB,MP3
 1.0-16.0km/h Speed Range
 0-15% Auto Incline
 1300x460MM Walking Area
 120kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1960x830x1360MM/1130x855x1600MM
 Carton Size:1910X870X390MM
 G.W.:90KGS/N.W.:80KGS
 Loading Q' TY:44PCS/20' 92PCS/40' 92PCS/40' HQ



Specification

Model No.:DC66E

DC2HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program,
 1.0-16.0km/h Speed Range
 0-15% Auto Incline
 1300x440MM Walking Area
 120kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1850X750X1400MM/1260X750X1500MM
 Carton Size:1920X830X370MM
 G.W.:93KGS/N.W.:83KGS
 Loading Q' TY:48PCS/20' 96PCS/40' 116PCS/40' HQ



CE
 EMC EN957
 CREATE NEW STATE OF HEALTH
 GS

Specification

Model No.:DC67E

DC2HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program,
 1.0-16.0km/h Speed Range
 0-15% Auto Incline
 1300x460MM Walking Area
 120kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1850X750X1400MM/1150X780X1550MM
 Carton Size:1810X830X360MM
 G.W.:85KGS/N.W.:76KGS
 Loading Q' TY:48PCS/20' 96PCS/40' 116PCS/40' HQ



Specification

Model No.:DC68E

DC2HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program,
 1.0-16.0km/h Speed Range
 0-15% Auto Incline
 1300x460MM Walking Area
 120kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1800X760X1290MM/1025X760X1550MM
 Carton Size:1810X810X370MM
 G.W.:85KGS/N.W.:76KGS
 Loading Q' TY:48PCS/20' 96PCS/40' 116PCS/40' HQ



CE
 EMC EN957
 CREATE NEW STATE OF HEALTH
 GS

Specification

Model No.:DC61E

DC2HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program,
 1.0-16.0km/h Speed Range
 0-15% Auto Incline
 1300x440MM Walking Area
 120kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1800X730X1280MM/900X730X1580MM
 Carton Size:1855X840X360MM
 G.W.:86KGS/N.W.:71KGS
 Loading Q' TY:46PCS/20' 96PCS/40' 122PCS/40' HQ



Specification

Model No.:DC57E

DC2.5HP

LCD Display/ 7 LED DISPLAY

Time,distance,speed,pulse,calorie,Program,

1.0-18.0km/h Speed Range

0-15% Auto Incline

1350x500MM Walking Area

130kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1870X840X1380MM/1125X780X1655MM

Carton Size:1980X930X410MM

G.W.:102KGS/N.W.:90KGS

Loading Q' TY:34PCS/20' 72PCS/40' 84PCS/40' HQ



Specification

Model No.:DC56

DC2HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-16.0km/h Speed Range

1300x460MM Walking Area

120kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1700X7300X1360MM/850X730X1150MM

Carton Size:1710X810X350MM

G.W.:77KGS/N.W.:67KGS

Loading Q' TY:52PCS/20' 104PCS/40' 134PCS/40' HQ



Specification

Model No.:DC54E

DC3HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-20.0km/h Speed Range

0-15% Auto Incline

1400x500MM Walking Area

140kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:2070X880X1335MM/1290X880X1030MM

Carton Size:2130X930X470MM

G.W.:116KGS/N.W.:106KGS

Loading Q' TY:31PCS/20' 65PCS/40' 65PCS/40' HQ



Specification

Model No.:DC59E

DC3HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-20.0km/h Speed Range

0-15% Auto Incline

1500x550MM Walking Area

140kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:2080X990X1460MM/1280X880X1720MM

Carton Size:2110X940X380MM/1030X1000X360MM

G.W.:120KGS/N.W.:100KGS

Loading Q' TY:36PCS/20' 78PCS/40' 89PCS/40' HQ



Specification

Model No.:DC53

DC1.5HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-10.0km/h Speed Range

1200x400MM Walking Area

110kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1465X640X1285MM/640X640X1380MM

Carton Size:1560X720X300MM

G.W.:52KGS/N.W.:48KGS

Loading Q' TY:73PCS/20' 157PCS/40' 200PCS/40' HQ



Specification

Model No.:DC55

DC1.5HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-12.0km/h Speed Range

3 Level Manual Incline

1250x420MM Walking Area

110kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1630x660x1335MM/770X650X1510MM

Carton Size:1710X740X320MM

G.W.:58KGS/N.W.:54KGS

Loading Q' TY:70PCS/20' 140PCS/40' 160PCS/40' HQ



Specification

Model No.:DC52E

DC3HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program,
 1.0–20.0km/h Speed Range
 0–15% Auto Incline
 1400x500MM Walking Area
 140kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1900x845x1395MM/1010X845X1545MM
 Carton Size:1990X930X450MM
 G.W.:102KGS/N.W.:87KGS
 Loading Q' TY:34PCS/20' 72PCS/40' 72PCS/40' HQ



CE
 EMC EN957
 CREATE NEW STATE OF HEALTH
 GS

Specification

Model No.:DC62E

DC1.5HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program,
 1.0–12.0km/h Speed Range
 3 Level Manual Incline
 1200x400MM Walking Area
 110kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1660x720x1220MM/260X720X1610MM
 Carton Size:1750x780x310MM
 G.W.:57KGS/N.W.:52KGS
 Loading Q' TY:65PCS/20' 131PCS/40' 146PCS/40' HQ



Specification

Model No.:DC50

DC1.5HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-10.0km/h Speed Range

3 Level Manual Incline

1200x400MM Walking Area

110kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1695x660x1235MM/850X660X1565MM

Carton Size:1765x760x330MM

G.W.:73KGS/N.W.:58KGS

Loading Q' TY:66PCS/20' 136PCS/40' 155PCS/40' HQ



Specification

Model No.:DC51

DC1.5HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-12.0km/h Speed Range

3 Level Manual Incline

1250x420MM Walking Area

110kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1700x710x1790MM/840X710X1540MM

Carton Size:1660x760x290/230MM

G.W.:73KGS/N.W.:58KGS

Loading Q' TY:90PCS/20' 192PCS/40' 213PCS/40' HQ



Specification

Model No.:DC48E

DC2HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program,
 1.0–16.0km/h Speed Range
 0–15% Auto Incline
 1300x440MM Walking Area
 120kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1800X730X1280MM/900X730X1580MM
 Carton Size:1855X840X360MM
 G.W.:86KGS/N.W.:71KGS
 Loading Q' TY:46PCS/20' 94PCS/40' 114PCS/40' HQ



Specification

Model No.:DC49E

DC3HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program,
 1.0–20.0km/h Speed Range
 0–15% Auto Incline
 1400x500MM Walking Area
 140kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1990X840X1290MM/1230X840X1670MM
 Carton Size:2110X860X380MM
 G.W.:104KGS/N.W.:94KGS
 Loading Q' TY:38PCS/20' 78PCS/40' 95PCS/40' HQ



Specification

Model No.:DC43E

DC1.5HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-12.0km/h Speed Range

0-15% Auto Incline

1250x420MM Walking Area

120kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1650X715X1335MM/900X715X1510MM

Carton Size:1770X790X390MM

G.W.:72KGS/N.W.:62KGS

Loading Q' TY:51PCS/20' 114PCS/40' 114PCS/40' HQ



Specification

Model No.:DC45E

DC2.5HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-18.0km/h Speed Range

0-15% Auto Incline

1350x480MM Walking Area

130kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1910X780X1290MM/1030X780X1020MM

Carton Size:1980X850X380MM

G.W.:94KGS/N.W.:84KGS

Loading Q' TY:40PCS/20' 84PCS/40' 102PCS/40' HQ



Specification

Model No.:DC41

DC1.5HP
 3 LED Display
 Time,distance,speed,pulse,calorie,Program,
 1.0-10.0km/h Speed Range
 1100X380MM Walking Area
 110kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1430X640X1380MM/600X640X1420MM
 Carton Size:1560X740X350MM
 G.W.:42KGS/N.W.:38KGS
 Loading Q' TY:63PCS/20' 132PCS/40' 154PCS/40' HQ



Specification

Model No.:DC42

DC1.5HP
 5 LED Display
 Time,distance,speed,pulse,calorie,Program,
 1.0-12.0km/h Speed Range
 1200X400MM Walking Area
 110kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1420X650X1220MM/600X560X1380MM
 Carton Size:1730X750X330MM
 G.W.:63KGS/N.W.:58KGS
 Loading Q' TY:69PCS/20' 140PCS/40' 160PCS/40' HQ



Specification

Model No.:DC39E

DC2HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-16.0km/h Speed Range

0-15% Auto Incline

1250X440MM Walking Area

120kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1750X730X1350MM/330X730X1750MM

Carton Size:1820X810X370MM

G.W.:70KGS/N.W.:68KGS

Loading Q' TY:48PCS/20' 98PCS/40' 119PCS/40' HQ



CE
EMC EN557
CREATE NEW STATE OF HEALTH



Specification

Model No.:DC38

DC1.5HP

5 LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-10.0km/h Speed Range

3 Level Manual Incline

1200X400MM Walking Area

100kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1580x670x1265MM/340X670X1565MM

Carton Size:1660X750X300MM

G.W.:45KGS/N.W.:40KGS

Loading Q' TY:70PCS/20' 150PCS/40' 170PCS/40' HQ



Specification

Model No.:DC33E

DC2HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-16.0km/h Speed Range

0-15% Auto Incline

1300X440MM Walking Area

120kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1680X710X1220MM/800X710X1580MM

Carton Size:1760X790X340MM

G.W.:74KGS/N.W.:66KGS

Loading Q' TY:57PCS/20' 130PCS/40' 130PCS/40' HQ



CE
EMC EN957
CREATE NEW STATE OF HEALTH



Specification

Model No.:DC32

DC1.5HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-12.0km/h Speed Range

3 Level Manual Incline

1250X420MM Walking Area

120kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1555x700x1285MM/685x700x1510MM

Carton Size:1660X770X330MM

G.W.:60KGS/N.W.:55KGS

Loading Q' TY:70PCS/20' 150PCS/40' 170PCS/40' HQ



Specification

Model No.:DC23E

DC3HP
 5 LED Display
 Time,distance,speed,pulse,calorie,Program,
 0.8-20km/h Speed Range
 0-15% Auto Incline
 1500x520MM Walking Area
 140kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:2060X850X1380MM/920X850X1920MM
 Carton Size:2120X930X380MM
 G.W.:112KGS/N.W.:102KGS
 Loading Q' TY:36PCS/20' 78PCS/40' 89PCS/40' HQ



EMC EN957
 CREATE NEW STATE OF HEALTH



Specification

Model No.:DC22E

DC2.5HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program,
 1-18km/h Speed Range
 0-15% Auto Incline
 1300x450MM Walking Area
 130kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1670X770X1410MM/815X770X1565MM
 Carton Size:1790X810X340MM
 G.W.:84KGS/N.W.:74KGS
 Loading Q' TY:56PCS/20' 117PCS/40' 130PCS/40' HQ



Specification

Model No.:DC21E

DC2.5HP

4 LCD Display

Time,distance,speed,pulse,calorie,Program,

1-18km/h Speed Range

0-15% Auto Incline

1300x450MM Walking Area

130kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1700X750X1360MM/815X750X1565MM

Carton Size:1610X830X340MM

G.W.:80KGS/N.W.:70KGS

Loading Q' TY:55PCS/20' 114PCS/40' 114PCS/40' HQ



Specification

Model No.:DC20

DC1.5HP

5 LED Display

Time,distance,speed,pulse,calorie,Program,

1.0-10.0km/h Speed Range

1200X400MM Walking Area

100kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1495X630X1340MM/765X770X1375MM

Carton Size:1535X710X350/290MM

G.W.:60KGS/N.W.:55KGS

Loading Q' TY:73PCS/20' 157PCS/40' 179PCS/40' HQ



Specification

Model No.:W5

DC1.25HP

1 LED Display

Time,distance,speed,calorie,Program

0.8-10.0km/h Speed Range

1000x400MM Walking Area

3 Manual Incline

100kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1290X700X1160MM/580X700X1290MM

Carton Size:1360X760X220MM

G.W.:35KGS/N.W.:31KGS

Loading Q' TY:105PCS/20' 243PCS/40' 251PCS/40' HQ



Specification

Model No.:W7

1 LCD Display

Time,distance,speed,calorie,Program

Walking Area:715x280mm

90kgs Max User Weight

Carton Size:850X400X180MM

G.W.:17KGS/N.W.:16KGS

Loading Q' TY:500PCS/20' 1078PCS/40' 1260PCS/40' HQ



Specification

Model No.:DC10E

DC2.5HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-18.0km/h Speed Range

0-15% Auto Incline

1250X420MM Walking Area

130kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1760X720X1340MM/800X720X1660MM

Carton Size:1830X810X310MM

G.W.:85KGS/N.W.:75KGS

Loading Q' TY:56PCS/20' 115PCS/40' 140PCS/40' HQ



CE
EMC EN957
CREATE NEW STATE OF HEALTH



Specification

Model No.:DC09E

DC2HP

LCD Display

Time,distance,speed,pulse,calorie,Program,

1.0-16.0km/h Speed Range

0-15% Auto Incline

1250X420MM Walking Area

120kgs Max User Weight

220 ± 10%V(50/60HZ)

Measurement:1780X780X1330MM/815X780X1620MM

Carton Size:1835X927X355MM

G.W.:78KGS/N.W.:70KGS

Loading Q' TY:44PCS/20' 90PCS/40' 103PCS/40' HQ



Specification

Model No.:DC10EM

DC1.75HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program,
 1.0-12.0km/h Speed Range
 0-15% Auto Incline
 1250X420MM Walking Area
 110kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1710X690X1340MM/800X690X1560MM
 Carton Size:1780X790X350MM
 G.W.:88KGS/N.W.:80KGS
 Loading Q' TY:53PCS/20' 108PCS/40' 120PCS/40' HQ



CE
 EMC EN957
 CREATE NEW STATE OF HEALTH
 GS

Specification

Model No.:DC09EM

DC1.75HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program,
 1.0-12.0km/h Speed Range
 0-15% Auto Incline
 1250X440MM Walking Area
 110kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1780X780X1330MM/815X780X1620MM
 Carton Size:1810X890X410MM
 G.W.:78KGS/N.W.:77KGS
 Loading Q' TY:37PCS/20' 77PCS/40' 93PCS/40' HQ



Specification

Model No.:DC04M

DC1.5HP
 LCD Display
 Time,distance,speed,pulse,calorie,Program,
 1.0-12.0km/h Speed Range
 1200X400MM Walking Area
 100kgs Max User Weight
 220 ± 10%V(50/60HZ)
 Measurement:1700X680X1330MM/850X680X1400MM
 Carton Size:1450X750X340/270MM
 G.W.:56KGS/N.W.:50KGS
 Loading Q' TY:75PCS/20' 150PCS/40' 172PCS/40' HQ



CE
 EMC EN957
 CREATE NEW STATE OF HEALTH
 GS

Specification

Model No.:ST001

1 LCD Display
 Time,,calorie,RPM
 100kgs Max User Weight
 Carton Size:420X370X200MM
 G.W.:7KGS/N.W.:6.5KGS
 Loading Q' TY:858PCS/20'
 1782PCS/40' 1944PCS/40' HQ





HK033A

PLATE LOADED ABDUCTOR/ADDUCTOR

Measures: 150x104x110cm



HK036F

STANDING FRONT&BACK ROW

Measures: 212X94X153cm



HK051D

LEG EXTENSION & PRONE LEG CURL BENCH


Measures: 178x83x127cm



YK45092D

ULTIMATE HOME BENCH (including all attachment)

Measures: 155X76X43cm



YK45021

HYPER EXTENSION BENCH

Measures: 123X68X90cm



YK55191

TRAINING STATION

Measures: 126X102X221cm



Specification

Model No.:PX200

base frame: 40*40*1.5mm
measurement:118*77*220



Model No.:PX300

base frame: 60*30*1.2mm
measurement:118*77*220



Model No.:YK45094

Desc. : WARRIOR VKR TOWER
base frame: Ø50x1.4t
Carton Size: 212*55*16CM
G.W.: 36KGS N.W.:31KGS



Specification

Model No.:YK45095

Desc. : WARRIOR POWER TOWER COMBO
Main frame: base frame:Ø55xT1.5mm
Carton Size: 210*72*20CM
G.W.: 54KGS N.W.:49KGS



Model No.:YK55104

Desc. : DELTA UTILITY HALF RACK
Main frame: 60x60x2.0t
Carton Size: 117*62*22CM
G.W.: 29KGS N.W.:26KGS



Model No.:YK55190

HALF RACK
Main frame: 60x60x2.0
Carton Size: 180x60x40CM
G.W.: 90KGS N.W.:80KGS



Specification

Model No.:YK45020

MULTI BOXING STATION

Carton Size: 160*65*24CM

G.W.: 36KGS N.W.:31KGS



Model No.:YK45091

Desc. : WARRIOR FID BENCH

Main frame: oval 40x80x1.4t

Carton Size: 125.5*48*15.5CM

G.W.: 23KGS N.W.:19KGS



Model No.:YK45092

Desc. : Flat Bench

Main frame: oval 40x80x1.5t

Front/rear base tubing: Ø60x1.4t

Carton Size:110*45*25CM

G.W.: 15.6KGS N.W.:14KGS



Specification

Model No.:YK45093

Desc. : WARRIOR STANDARD BENCH

Left/right upright frame: Ø50x1.3t

Main frame: 38x38x1.2t

Carton Size:115*52*22CM

G.W.: 23KGS N.W.:20KGS



Model No.:YK45097

Desc. : WARRIOR SLANT BOARD

Main frame: 38 X 38 X 1.5mm

Carton Size: 140*53*24CM

G.W.: 23KGS N.W.:21KGS



Model No.:YK45099

Desc. : WARRIOR PRO 3000 SQUAT RACK

base frame: oval 50x100x2.0

Carton Size: 170*57*23CM

G.W.: 30KGS N.W.:25KGS



Specification

Model No.:YK45096

Desc. : DELTA WIDE STANCE BENCH
Main frame: Main frame: oval 30x70x1.5t
Carton Size: 132*60*24CM
G.W.: 33KGS N.W.:28KGS



Model No.:YK45100

Desc. : WARRIOR MID WIDTH BENCH
Main frame: Ø50x1.4t
Carton Size: 117*62*22CM
G.W.: 29KGS N.W.:26KGS



Specification

Model No.:YK55105

300LP Leg Press Gym
1.vertical mast, rear stabilizer frame, top body
oval 40 × 80 × 1.75mm
2.rear & front main post, top body, cushion tube
oval 40 × 80 × 1.5mm
3.butterfly arm
oval 30 × 60 × 1.5mm
Colour: Red & Black
Packaging Carton Size(3 CARTONS)
196*70*25CM G.W./N.W.:73/68
170*54*20CM G.W./N.W.:39/32
63*41*15CM G.W./N.W.:7/6.5



Model No.:YK50049

1.vertical mast, top body, leg support
oval 30 × 60 × 1.5mm
2.bottom tube oval 40 × 80 × 1.5mm
3.butterfly Φ42 × 1.5mm
Packaging Carton Size
190*50*25CM
G.W.: 66KGS N.W.:61KGS

